




26 HCO
Performance Report

Powered By



300 CMS

Performance Data



Conditions

Person(s)	2
Fuel on board	30 Gal
Top	Second Station
Jack Plate	Yes 3"
Temp	82
Wind	1-3
Prop	17 enertia
Fuel Capacity	91

Performance Data, Test date 10.01.20

RPM	MPH	GPH	MPG	RANGE
1000	5.4	1.5	3.6	262
1500	7.1	2.3	3.1	225
2000	8.6	3.8	2.3	165
2500	10.4	4.8	2.2	158
3000	15.4	6.4	2.4	175
3500	29	8.4	3.5	251
4000	33.2	10.5	3.2	230
4500	39.3	13	3.0	220
5000	42.1	17.3	2.4	177
5500	46.7	20.9	2.2	163
6060	50.7	25.2	2.0	146

Time to Plane			
1st Run	2nd Run	3rd Run	Average
4.1	3.9	4.3	4.1

0-20 MPH			
1st Run	2nd Run	3rd Run	Average
4.9	4.3	4.5	4.6

0-30 MPH			
1st Run	2nd Run	3rd Run	Average
6.6	6.8	7.9	7.1



Note: These numbers are intended to provide a likeness of the discribed boats performance. Crevalle Boats does not in any way guarantee that these exact numbers can be reproduced. Variations in boat weight, temperature, humidity, wind, fuel, operators ability and water are just some of the factors that affect a boats performance.

2021 Model Year

Crevalle Boats
1520 Industrial Drive
Wildwood, Florida 34785 (P)352-400-4222

26 HCO




Powered By



300

Performance Data



Conditions

Person(s)	2
Fuel on board	25
Top	Hard Top
Jack Plate	Yes 3"
Temp	83
Wind	5 mph
Prop	18"
Fuel Capacity	91

Performance Data, Test date 10.21.19

RPM	MPH	GPH	MPG	RANGE
1000	5.9	1.4	4.2	307
1500	7.5	2.3	3.3	237
2000	10.5	3.9	2.7	196
2500	14.2	5.5	2.6	188
3000	19.5	6.3	3.1	225
3500	28.9	8.6	3.4	245
4000	34.3	11.8	2.9	212
4500	38.7	14.9	2.6	189
5000	42.5	18.3	2.3	169
5500	46.7	20.3	2.3	167
6060	50.3	24.3	2.1	151
6200	52.5	26.8	1.958955	

Time to Plane			
1st Run	2nd Run	3rd Run	Average
3.8	4.1	4.0	3.96666667

0-20 MPH			
1st Run	2nd Run	3rd Run	Average
4.6	4.1	4.5	4.4

0-30 MPH			
1st Run	2nd Run	3rd Run	Average
7.1	6.5	6.9	6.8



Note: These numbers are intended to provide a likeness of the discribed boats performance. Crevalle Boats does not in any way guarantee that these exact numbers can be reproduced. Variations in boat weight, temperature, humidity, wind, fuel, operators ability and water are just some of the factors that affect a boats performance.

2020 Model Year

Crevalle Boats
1520 Industrial Drive
Wildwood, Florida 34785 (P)352-400-4222

26 Bay




Powered By



300 CMS

Performance Data



Conditions

Person(s)	1
Fuel on board	25
Top	Hard Top
Jack Plate	Yes 3"
Temp	80
Wind	5 mph
Prop	
Fuel Capacity	91

Performance Data, Test date 11.08.19

RPM	MPH	GPH	MPG	RANGE
1000	5.2	1.2	4.3	315
1500	7.2	2.14	3.4	245
2000	9.1	3.3	2.8	201
2500	12.4	4.23	2.9	213
3000	16	5.7	2.8	204
3500	26.6	8.4	3.2	231
4000	32.6	10.8	3.0	220
4500	37.4	14	2.7	194
5000	42	15.3	2.7	200
5500	45.8	19.4	2.4	172
6060	50	23.4	2.1	156
6200				

Time to Plane			
1st Run	2nd Run	3rd Run	Average
3.8	3.6	3.8	3.73333333

0-20 MPH			
1st Run	2nd Run	3rd Run	Average
3.8	3.7	3.6	3.7

0-30 MPH			
1st Run	2nd Run	3rd Run	Average
5.6	5.7	5.7	5.7



Note: These numbers are intended to provide a likeness of the discribed boats performance. Crevalle Boats does not in any way guarantee that these exact numbers can be reproduced. Variations in boat weight, temperature, humidity, wind, fuel, operators ability and water are just some of the factors that affect a boats performance.

2020 Model Year

Crevalle Boats
1520 Industrial Drive
Wildwood, Florida 34785 (P)352-400-4222


26 Bay



Powered By

350  **SUZUKI**

Performance Data



Conditions

Person(s)	3
Fuel on board	30
Top	US
Jack Plate	Yes, 1.5"
Temp	80
Wind	
Prop	21.5
Fuel Capacity	83

Performance Data, Test date 12/31/2018

RPM	MPH	GPH	MPG	RANGE
1000	5.9	1.29	4.6	304
1500	7.3	2.38	3.1	204
2000	8.8	3.67	2.4	159
2500	12.5	5.81	2.2	143
3000	18.1	8.22	2.2	146
3500	26.6	9.77	2.7	181
4000	35.3	14.03	2.5	167
4500	11.2	16.6	0.7	45
5000	48.8	25	2.0	130
5500	52	26.8	1.9	129
6000	54.5	30.5	1.8	119
6200				

Time to Plane			
1st Run	2nd Run	3rd Run	Average
4.2	4.2	4.1	

0-20 MPH			
1st Run	2nd Run	3rd Run	Average
5.8	6.2	6.1	

0-30 MPH			
1st Run	2nd Run	3rd Run	Average
7.8	7.9	7.9	



Note: These numbers are intended to provide a likeness of the described boats performance. Crevalle Boats does not in any way guarantee that these exact numbers can be reproduced. Variations in boat weight, temperature, humidity, wind, fuel, operators ability and water are just some of the factors that affect a boats performance.

2019 Model Year

Crevalle Boats
1520 Industrial Drive
Wildwood, Florida 34785 (P)352-400-4222


26 Bay



Powered By

350  **SUZUKI**

Performance Data



Conditions

Person(s)	2
Fuel on board	30
Top	HT
Jack Plate	Yes, 1.5"
Temp	90
Wind	2 mph
Prop	21.5
Fuel Capacity	83

Performance Data

RPM	MPH	GPH	MPG	RANGE
1000	6.1	1.5	4.1	270
1500	6.9	2.4	2.9	191
2000	8.4	3.5	2.4	159
2500	11.5	5.4	2.1	141
3000	16.7	7.5	2.2	148
3500	28.4	9	3.2	210
4000	31.8	12.2	2.6	173
4500	40.8	16.19	2.5	167
5000	46.7	18.9	2.5	164
5500	52	22.7	2.3	152
6000	56	29	1.9	128
6200	57	30.2	1.9	125

Time to Plane			
1st Run	2nd Run	3rd Run	Average
4.5	4.4	4.5	4.5

0-20 MPH			
1st Run	2nd Run	3rd Run	Average
5.5	5.8	5.7	5.7

0-30 MPH			
1st Run	2nd Run	3rd Run	Average
7.5	7.2	7.6	7.4



Note: These numbers are intended to provide a likeness of the described boats performance. Crevalle Boats does not in any way guarantee that these exact numbers can be reproduced. Variations in boat weight, temperature, humidity, wind, fuel, operators ability and water are just some of the factors that affect a boats performance.

2019 Model Year

Crevalle Boats
1520 Industrial Drive
Wildwood, Florida 34785 (P)352-400-4222

26 Bay




26 Bay
Performance Report

Powered By



300 CMS

Performance Data



Conditions

Person(s)	2
Fuel on board	35
Top	Hard Top
Jack Plate	Yes 3"
Temp	95
Wind	0
Prop	Eco 18
Fuel Capacity	83

8/7/2018 Top speed: 52 MPH

RPM	MPH	GPH	MPG	RANGE
1000	5.2	1.5	3.5	230
1500	7.1	2.4	3.0	196
2000	8.7	3.9	2.2	148
2500	10.8	5	2.2	143
3000	14.2	6.6	2.2	143
3500	28.5	9.1	3.1	208
4000	31.6	13	2.4	161
4500	39.6	18.6	2.1	141
5000	44.8	20	2.2	149
5500	49.7	24	2.1	138
5900	51.2	25.3	2.0	134

Time to Plane			
1st Run	2nd Run	3rd Run	Average
4.4	4.7	4.7	4.6

0-20 MPH			
1st Run	2nd Run	3rd Run	Average
4.7	4.9	4.8	4.8

0-30 MPH			
1st Run	2nd Run	3rd Run	Average
7.9	7.4	7.5	7.6



Note: These numbers are intended to provide a likeness of the discribed boats performance. Crevalle Boats does not in any way guarantee that these exact numbers can be reproduced. Variations in boat weight, temperature, humidity, wind, fuel, operators ability and water are just some of the factors that affect a boats performance.

2019 Model Year

Crevalle Boats
1520 Industrial Drive
Wildwood, Florida 34785 (P)352-400-4222


26 Bay



Powered By



Performance Data



Conditions

Person(s)	2
Fuel on board	20gal
Top	54
Jack Plate	2.5
Temp	80
Wind	
Prop	3x16x21.5
Fuel Capacity	72

Performance Data, Test date 05.03.2018

RPM	MPH	GPH	MPG	RANGE
1000	5.1	1.1	4.6	267
1500	7	2.3	3.0	175
2000	9.1	3.4	2.7	154
2500	14	5.3	2.6	152
3000	23.2	6.7	3.5	199
3500	30.2	8.9	3.4	195
4000	35.6	13.9	2.6	148
4500	40	15.3	2.6	151
5000	45	19.5	2.3	133
5500	49	26.1	1.9	108
6000	53	26.4	2.0	116
6150	54	26.9	2.0	116

Time to Plane			
1st Run	2nd Run	3rd Run	Average
5.6	4.9	5.5	5.33333333

0-20 MPH			
1st Run	2nd Run	3rd Run	Average
8.0	7.0	6.7	7.2

0-30 MPH			
1st Run	2nd Run	3rd Run	Average
10.5	11.1	10.5	10.7



Note: These numbers are intended to provide a likeness of the discribed boats performance. Crevalle Boats does not in any way guarantee that these exact numbers can be reproduced. Variations in boat weight, temperature, humidity, wind, fuel, operators ability and water are just some of the factors that affect a boats performance.

Crevalle Boats

1520 Industrial Drive

Wildwood, Florida 34785 (P)352-400-4222

2018 Model Year


26 Bay

Powered By



F300XCA Yamaha

Performance Data



Conditions

Person(s)	2
Fuel on board	30 gal
Top	Hard Top
Jack Plate	Yes
Temp	75
Wind	7 MPH
Prop	18
Fuel Capacity	83

Performance Data, Test date 4.26.18

RPM	MPH	GPH	MPG	RANGE
1000	5.4	1.2	4.5	299
1500	7.3	2	3.7	242
2000	9.2	3.7	2.5	165
2500	14	5.6	2.5	166
3000	20.8	6.3	3.3	219
3500	29.9	8.2	3.6	242
4000	35.7	11.6	3.1	204
4500	40.4	15.3	2.6	175
5000	44.5	18.9	2.4	156
5500	49.3	24.3	2.0	135
6000	53.1	36.2	1.5	97

Time to Plane			
1st Run	2nd Run	3rd Run	Average
4.6	4.4	3.7	4.2

0-20 MPH			
1st Run	2nd Run	3rd Run	Average
5.5	5.5	5.1	5.4

0-30 MPH			
1st Run	2nd Run	3rd Run	Average
8.2	8.2	8.1	8.2



Note: These numbers are intended to provide a likeness of the discribed boats performance. Crevalle Boats does not in any way guarantee that these exact numbers can be reproduced. Variations in boat weight, temperature, humidity, wind, fuel, operators ability and water are just some of the factors that affect a boats performance.

2018 Model Year

Crevalle Boats
1520 Industrial Drive
Wildwood, Florida 34785 (P)352-400-4222


26 Bay

Powered By

350 Mercury Verado



Performance Data



Conditions

Person(s)	2
Fuel on board	24 Gal.
Top	Hard Top
Jack Plate	Yes 3"
Temp	83
Wind	2 to 5
Prop	Eco 18
Fuel Capacity	83

Performance Data, Test date 6.9.17

RPM	MPH	GPH	MPG	RANGE
1000	5.4	1.3	4.2	276
1500	7	2	3.5	232
2000	8.4	3.9	2.2	143
2500	12	5.2	2.3	153
3000	16.6	6.8	2.4	162
3500	27.7	9.4	2.9	196
4000	34.3	12.1	2.8	188
4500	39.3	16.2	2.4	161
5000	43.6	22.7	1.9	128
5500	49.1	28.1	1.7	116
6060	54	30.8	1.8	116

Time to Plane			
1st Run	2nd Run	3rd Run	Average
3.8	4.3	4.8	4.3

0-20 MPH			
1st Run	2nd Run	3rd Run	Average
5.4	5.2	5.2	5.3

0-30 MPH			
1st Run	2nd Run	3rd Run	Average
7.7	8.1	8.6	8.1




Note: These numbers are intended to provide a likeness of the discribed boats performance. Crevalle Boats does not in any way guarantee that these exact numbers can be reproduced. Variations in boat weight, temperature, humidity, wind, fuel, operators ability and water are just some of the factors that affect a boats performance.

Powered By



Performance Data



Conditions

Person(s)	2
Fuel on board	24 Gal.
Top	Hard Top
Jack Plate	Yes 3"
Temp	83
Wind	2 to 5
Prop	Eco 18
Fuel Capacity	83

Performance Data, Test date 6.9.17

RPM	MPH	GPH	MPG	RANGE
1000	5.4	1.3	4.2	276
1500	7	2	3.5	232
2000	8.4	3.9	2.2	143
2500	12	5.2	2.3	153
3000	16.6	6.8	2.4	162
3500	27.7	9.4	2.9	196
4000	34.3	12.1	2.8	188
4500	39.3	16.2	2.4	161
5000	43.6	22.7	1.9	128
5500	49.1	28.1	1.7	116
6060	54	30.8	1.8	116

Time to Plane			
1st Run	2nd Run	3rd Run	Average
3.8	4.3	4.8	4.3

0-20 MPH			
1st Run	2nd Run	3rd Run	Average
5.4	5.2	5.2	5.3

0-30 MPH			
1st Run	2nd Run	3rd Run	Average
7.7	8.1	8.6	8.1



Note: These numbers are intended to provide a likeness of the discribed boats performance. Crevalle Boats does not in any way guarantee that these exact numbers can be reproduced. Variations in boat weight, temperature, humidity, wind, fuel, operators ability and water are just some of the factors that affect a boats performance.